


# **Manual Robotic Tool Changers | Hybrid Interfaces Modules | MEK080**

**Sous titre**

**Electric, pneumatic and fluidic module in MEK080 anodized  
aluminum with PK2 to PK4 connectors and high current capacity  
up to 20A**







The MEK080 module allows the simultaneous transmission of energy, air and vacuum, with different versions available to meet your needs. Increase your productivity with robust connectors and increased flexibility in output connectors.

---

Discover the MEK Multi-Energy-Coupling, the accessory of MGW changers that allows the simultaneous transmission of energy, air and vacuum. With its many advantages, it extends MGW mechanical interfaces and replaces additional connections. In addition, it transmits compressed air and vacuum from the upper assembly to the lower assembly and conducts 12 electrical signals. Available in different versions to meet your specific needs. Contact us for custom applications. MEK Multi-Energy-Coupling (for MGW, SWS) - Air, energy and vacuum. Versions available: 4 air passages, 6 or 12 electrical spits or 4 air passages and 6 electrical spits.

## **Advantages**

## **Benefits**

- Increased productivity with robust connectors
- Great flexibility in output connectors
- Reduced maintenance times with a high cycle rate

## **Related industries**

## **At your service**

Need help in selecting the right product ?

Need more information ?

[Contact us](#)

- [PDF](#)
- 

- [Technical Info](#)
- [Drawings](#)
- [3D](#)

### **MEK080**

**Operating temperature** -30 to +120 °C

**Type** Hybrid Interfaces Modules

**Protection rating** IP40

**Weight** 0.170 0.070

**Contact durability** 50000 cycles

**Materials** Al, anod.

**Operating pressure** -1 to 8 bar

**Pneumatic Ducts** 4 to 8 x PK2, PK3, PK4

**Electrical Ducts** 12 x 9A (63V, 3m?)  
6 x 20A (125V, 1.3m?)

**Notice :** The provided technical data are the higher limits recommended in static condition. To obtain the correct dimensioning of the product, it is necessary to hold account of all the applicable dynamic forces, including the inertia of the manipulator, the configuration of the tools and the external forces applied.

**No files actually**

For more informations

[Contact us](#)

## **No files actually**

For more informations

[Contact us](#)

The manual Tool Changers are designed and manufactured by GRIP Gmbh.

Product Engineering Services is the Distributor of GRIP for the territory of Belgium and France

## **Applications**